



**BRYX.R22199
Foamed Plastic**

[Page Bottom](#)

Foamed Plastic

[See General Information for Foamed Plastic](#)

VERSA-TECH INC
701 SARGENT LN
FREDERICKTOWN, MO 63645 USA

R22199

Molded foamed plastic in the form of boards.

| 6 In. Max + | |
|--------------------|------|
| Flame spread | 20# |
| Smoke developed | 400# |

+Installed in a thickness, or stored in an effective thickness, as indicated, for a density of 1.00 to 2.00 lb/cu ft.

#Flame spread and smoke developed recorded while material remained in the original test position. Ignition of molten residue on the furnace floor resulted in flame travel equivalent to calculated flame spread classification of 140 and smoke developed classification of over 500.

| 5 In. Max + | |
|--------------------|------|
| Flame spread | 5# |
| Smoke developed | 120# |

+Installed in a thickness, or stored in an effective thickness, as indicated, for a density of 1.00 to 1.50 lb/cu ft.

#Flame spread and smoke developed recorded while material remained in the original test position. Ignition of molten residue on the furnace floor resulted in flame travel equivalent to calculated flame spread classification of 20 and smoke developed classification of 400.

Last Updated on 2006-08-08

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2010 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

